

KRM TYRES SIZE LIST

| S.NO | SIZE | TT/TL | PATTERN | PATTERN CODE | PR | WT(KGS) | 1x40' |
|------|------|-------|---------|--------------|----|---------|-------|
|------|------|-------|---------|--------------|----|---------|-------|

TRACTOR FRONT

| | | | | | | | |
|--|-----------|----|-------|--------|----|-------|------|
| | 5.00-12 | TT | R-1 | KT-143 | 8 | 6.50 | 2300 |
| | 5.00-12 | TT | R-1 | KT-143 | 8 | 7.00 | 2300 |
| | 6.50/8-12 | TT | R-1 | KT-143 | 8 | 8.50 | 2300 |
| | 550-16 | TT | F-2 | KT-139 | 6 | 9.00 | 1250 |
| | 5.50-16 | TT | F-2 | KT-137 | 6 | 9.50 | 1150 |
| | 5.50-16 | TT | F-2 | KT-138 | 6 | 10.00 | 1150 |
| | 600-16 | TT | F-2 | KT-139 | 8 | 10.00 | 1150 |
| | 600-16 | TT | F-2 | KT-138 | 8 | 11.00 | 1150 |
| | 600-19 | TT | 3 RIB | KT-139 | 8 | 13.00 | 1100 |
| | 6.50-16 | TT | F-2 | KT-138 | 6 | 13.50 | 1100 |
| | 6.50-16 | TT | F-2 | KT-138 | 8 | 14.00 | 1100 |
| | 6.50-20 | TT | F-2 | KT-138 | 6 | 16.00 | 700 |
| | 6.50-20 | TT | F-2 | KT-138 | 8 | 16.50 | 700 |
| | 7.50-16 | TT | F-2 | KT-139 | 8 | 15.00 | 750 |
| | 7.50-16 | TT | F-2 | KT-137 | 8 | 15.50 | 750 |
| | 7.50-16 | TT | F-2 | KT-138 | 8 | 16.00 | 750 |
| | 7.50-16 | TT | F-2 | KT-139 | 10 | 16.50 | 750 |
| | 7.50-16 | TT | R-1 | KT-143 | 6 | 14.50 | 700 |
| | 7.50-16 | TT | R-1 | KT-143 | 8 | 15.00 | 700 |
| | 7.50-18 | TT | R-1 | KT-143 | 6 | 16.50 | 550 |
| | 7.50-18 | TT | R-1 | KT-143 | 8 | 17.00 | 550 |
| | 7.50-20 | TT | 3 RIB | KT-139 | 8 | 19.00 | 550 |
| | 10.00-16 | TT | 3 RIB | KT-140 | 10 | 24.00 | 474 |
| | 10.00-16 | TL | 3 RIB | KT-140 | 10 | 24.00 | 474 |
| | 10.00-16 | TT | 3 RIB | KT-140 | 12 | 25.00 | 474 |
| | 10.00-16 | TL | 3 RIB | KT-140 | 12 | 25.00 | 474 |
| | 10.00-16 | TT | 4 RIB | KT-140 | 10 | 26.00 | 474 |
| | 10.00-16 | TL | 4 RIB | KT-140 | 10 | 26.00 | 474 |
| | 10.00-16 | TT | 4 RIB | KT-140 | 12 | 27.00 | 474 |
| | 10.00-16 | TL | 4 RIB | KT-140 | 12 | 27.00 | 474 |
| | 11.00-16 | TT | 3 RIB | KT-140 | 10 | 29.00 | 375 |
| | 11.00-16 | TL | 3 RIB | KT-140 | 10 | 29.00 | 375 |
| | 11.00-16 | TT | 3 RIB | KT-140 | 12 | 30.00 | 375 |
| | 11.00-16 | TL | 3 RIB | KT-140 | 12 | 30.00 | 375 |
| | 11.00-16 | TT | 4 RIB | KT-140 | 10 | 30.00 | 375 |
| | 11.00-16 | TL | 4 RIB | KT-140 | 10 | 30.00 | 375 |
| | 11.00-16 | TT | 4 RIB | KT-140 | 12 | 31.00 | 375 |
| | 11.00-16 | TL | 4 RIB | KT-140 | 12 | 31.00 | 375 |

TRACTOR REAR TYRES

| | | | | | | | |
|--|------------|-------|-----|--------|----|-------|-----|
| | 8.00-18 | TT/TL | R-1 | KT-143 | 8 | 16.00 | 200 |
| | 8.00-18 | TT/TL | R-1 | KT-143 | 10 | 16.50 | 200 |
| | 8.3-20 | TT/TL | R-1 | KT-143 | 8 | 21.00 | 250 |
| | 16.0/70-20 | TT/TL | R-1 | KT-143 | 10 | 51.50 | 180 |
| | 11.2-24 | TT/TL | R-1 | KT-143 | 8 | 32.00 | 240 |
| | 11.2-28 | TT/TL | R-1 | KT-143 | 6 | 40.00 | 225 |
| | 11.2-28 | TT/TL | R-1 | KT-143 | 8 | 40.50 | 225 |
| | 8.3-24 | TT/TL | R-1 | KT-143 | 8 | 26.50 | 400 |
| | 9.5-24 | TT/TL | R-1 | KT-143 | 6 | 26.00 | 400 |
| | 12.4-24 | TT/TL | R-1 | KT-143 | 8 | 40.00 | 220 |

| | | | | | | | |
|-----|-----------------|-------|----------|----------|------------|--------|-----|
| | 12.4-24 | TT/TL | R-1 | KT-143 | 10 | 41.00 | 220 |
| | 14.9-24 | TT/TL | R-1 | Kt-143 | 8 | 48.00 | 172 |
| | 15.5/80-24 | TT/TL | R-1 | KT-143 | 14 | 53.00 | 170 |
| | 15.5/80-24 | TT/TL | R-1 | KT-143 | 16 | 55.00 | 170 |
| | 14.9-26 | TT/TL | R-1 | KT-143 | 12 | 52.50 | 170 |
| | 18.4-26 | TT/TL | R-1 | KT-143 | 10 | 90.50 | 85 |
| | 12.4-28 | TT/TL | R-1 | KT-143 | 8 | 44.00 | 185 |
| | 12.4-28 | TT/TL | R-1 | KT-143 | 10 | 45.00 | 180 |
| | 12.4-28 | TT/TL | R-1 | KT-142 | 12 | 46.00 | 180 |
| | 13.6-28 | TT/TL | R-1 | KT-143 | 8 | 54.00 | 160 |
| | 13.6-28 | TT/TL | R-1 | KT-143 | 10 | 55.00 | 160 |
| | 13.6-28 | TT/TL | R-1 | KT-142 | 12 | 56.00 | 160 |
| | 14.9-28 | TT/TL | R-1 | KT-142 | 10 | 72.00 | 125 |
| new | 14.9-28 Special | TT | R-1 | KT-143 | 8 | 63.00 | 125 |
| | 14.9-28 | TT/TL | R-1 | KT-142 | 12 | 73.00 | 125 |
| | 16.9-28 | TT/TL | R-1 | KT-142 | 10 | 86.00 | 100 |
| | 16.9-28 | TT/TL | R-1 | KT-142 | 12 | 87.00 | 100 |
| | 16.9-30 | TT/TL | R-1 | KT-142 | 10 | 78.00 | 90 |
| | 16.9-30 | TT/TL | R-1 | KT-142 | 12 | 80.00 | 90 |
| | 18.4-30 | TT/TL | R-1 | KT-142 | 10 | 103.00 | 70 |
| | 18.4-30 | TT/TL | R-1 | KT-142 | 12 | 104.00 | 70 |
| | 11.2-38 | TT/TL | R-1 | KT-143 | 8 | 44.00 | 100 |
| New | 15.5-38 | TT/TL | R-1 | KT-143 | 12 | 82.50 | 70 |
| | 16.9-38 | TT/TL | R-1 | KT-142 | 10 | 107.00 | 60 |
| | 16.9-38 | TT/TL | R-1 | KT-142 | 12 | 108.00 | 60 |
| New | 18.4-34 | TT/TL | R-1 | KT-143 | 10 | 102.00 | 50 |
| New | 18.4-34 | TT/TL | R-1 | KT-143 | 12 | 104.00 | 50 |
| New | 16.9-34 | TT/TL | R-1 | KT-143 | 10 | 96.00 | 60 |
| New | 16.9-34 | TT/TL | R-1 | KT-143 | 12 | 98.00 | 60 |
| New | 18.4-38 | TT/TL | R-1 | KT-143 | 10,12,14PR | | |
| New | 23.1-26 | TT/TL | R-1 | KT-143 | 10,12,14PR | | |
| New | 18.4-26 | TT/TL | Forestry | KT-143 + | 10,12,14PR | | |
| New | 9.5-32 | TT/TL | R-1 | KT-143 | 10,12,14PR | | |
| New | 13.6-24 | TT/TL | R-1 | KT-143 | 10,12,14PR | | |

Irrigation

| | | | | | | | |
|----|---------|-------|-----|--------|---|-------|-----|
| 75 | 11.2-24 | TT/TL | R-1 | KT-143 | 6 | 32.00 | 240 |
| 76 | 11.2-24 | TT/TL | R-1 | KT-143 | 8 | 34.00 | 240 |
| 77 | 11.2-38 | TT/TL | R-1 | KT-143 | 6 | 43.00 | 100 |
| 78 | 11.2-38 | TT/TL | R-1 | KT-143 | 8 | 44.00 | 100 |
| 79 | 14.9-24 | TT/TL | R-1 | KT-143 | 6 | 47.00 | 172 |
| 80 | 14.9-24 | TT/TL | R-1 | Kt-143 | 8 | 48.00 | 172 |

Radial R1

| | | | | | | | |
|----|------------|-------|-----|--------|---|-------------|-----|
| 81 | 420/85R-34 | TT/TL | R-1 | KT-143 | - | 95.00 | 120 |
| 82 | 280/85R24 | TT/TL | R-1 | KT-143 | - | Coming Next | |
| 83 | 340/85R24 | TT/TL | R-1 | KT-143 | - | | |
| 84 | 380/85R24 | TT/TL | R-1 | KT-143 | - | | |
| 85 | 380/85R28 | TT/TL | R-1 | KT-143 | - | | |
| 86 | 420/85R28 | TT/TL | R-1 | KT-143 | - | | |
| 87 | 460/85R34 | TT/TL | R-1 | KT-143 | - | | |
| 88 | 460/85R38 | TT/TL | R-1 | KT-143 | - | | |
| 89 | 520/85R38 | TT/TL | R-1 | KT-143 | - | | |

R-3

| | | | | | | | |
|---------------------------------|--------------|-----|-----|-------------|----|--------|-----|
| 90 | 23.1-26 | TL | R-3 | KT-136 | 12 | 155.00 | 55 |
| 91 | 23.1-26 | TL | R-3 | KT-136 | 16 | 160.00 | 55 |
| GRADER (G-2) | | | | | | | |
| 92 | 1300-24 | TT | G-2 | KT-130 | 12 | 65.00 | 160 |
| 93 | 1300-24 | T/L | G-2 | KT-130 | 12 | 65.50 | 160 |
| 94 | 1300-24 | TT | G-2 | KT-130 | 14 | 66.00 | 160 |
| 95 | 1300-24 | T/L | G-2 | KT-130 | 14 | 66.50 | 160 |
| 96 | 1300-24 | TT | G-2 | KT-130 | 16 | 67.00 | 160 |
| 97 | 1300-24 | T/L | G-2 | KT-130 | 16 | 67.50 | 160 |
| 98 | 1400-24 | TT | G-2 | KT-130 | 12 | 75.00 | 144 |
| 99 | 1400-24 | T/L | G-2 | KT-130 | 12 | 75.50 | 144 |
| 100 | 1400-24 | TT | G-2 | KT-130 | 14 | 76.00 | 144 |
| 101 | 1400-24 | T/L | G-2 | KT-130 | 14 | 76.50 | 144 |
| 102 | 1400-24 | TT | G-2 | KT-130 | 16 | 77.00 | 144 |
| 103 | 1400-24 | T/L | G-2 | KT-130 | 16 | 77.50 | 144 |
| IMPLEMENT (F-3) | | | | | | | |
| 104 | 11L-16 | T/L | F-3 | KT-187 | 10 | 23.00 | 560 |
| 105 | 11L-16 | T/L | F-3 | KT-187 | 12 | 24.00 | 560 |
| MPT TYRES | | | | | | | |
| 106 | 10.5/80-18 | T/L | MPT | KT-128 | 10 | 28.00 | 414 |
| 107 | 10.5/80-18 | T/L | MPT | KT-128 | 12 | 28.00 | 414 |
| 108 | 12.5/80-18 | T/L | MPT | KT-128 | 12 | 40.00 | 280 |
| 109 | 12.5/80-18 | T/L | MPT | KT-128 | 16 | 41.00 | 280 |
| INDUSTRIAL TRACTOR (R-4) | | | | | | | |
| 110 | 16.9-24 | T/L | R-4 | KT-126 | 12 | 73.00 | 110 |
| 111 | 16.9-24 | T/L | R-4 | KT-126 | 14 | 73.50 | 110 |
| 112 | 16.9-24 | T/L | R-4 | KT-126 | 16 | 74.00 | 110 |
| 113 | 16.9-28 | T/L | R-4 | KT-126 | 12 | 86.00 | 100 |
| 114 | 16.9-28 | T/L | R-4 | KT-126 | 14 | 87.00 | 100 |
| 115 | 16.9-28 | T/L | R-4 | KT-126 | 16 | 88.00 | 100 |
| 116 | 17.5L-24 | T/L | R-4 | KT-126 | 12 | 72.00 | 125 |
| 117 | 17.5L-24 | T/L | R-4 | KT-126 | 16 | 74.00 | 125 |
| 118 | 19.5L-24 | T/L | R-4 | KT-126 | 12 | 80.00 | 115 |
| 119 | 19.5L-24 | T/L | R-4 | KT-126 | 16 | 81.00 | 115 |
| 120 | 18.4-26 | T/L | R-4 | KT-126 | 12 | 95.00 | 100 |
| 121 | 18.4-26 | T/L | R-4 | KT-126 | 16 | 96.00 | 100 |
| SKID STEER | | | | | | | |
| 122 | 10-16.5 | T/L | SS | KT-134 | 10 | 23.00 | 550 |
| 123 | 10-16.5 | T/L | SS | KT-134 | 12 | 23.50 | 550 |
| 124 | 12-16.5 | T/L | SS | KT-134 | 10 | 30.00 | 406 |
| 125 | 12-16.5 | T/L | SS | KT-134 | 12 | 31.00 | 406 |
| 126 | 14-17.5 | T/L | SS | KT-134 | 12 | 48.00 | 250 |
| AGRICULTURAL IMPLEMENT | | | | | | | |
| 127 | 10.0/75-15.3 | TL | IMP | KT-129,129A | 10 | 18.00 | 610 |
| 128 | 10.0/75-15.3 | TL | IMP | KT-129,129A | 12 | 18.50 | 610 |
| 129 | 10.0/75-15.3 | TL | IMP | KT-129,129A | 14 | 19.00 | 610 |
| 130 | 10.5/75-15.3 | TL | IMP | KT-129,129A | 16 | 19.50 | 610 |
| 131 | 11.5/80-15.3 | TL | IMP | KT-129,129A | 12 | 24.00 | 510 |
| 132 | 11.5/80-15.3 | TL | IMP | KT-129,129A | 14 | 24.50 | 510 |
| 133 | 11.5/80-15.3 | TL | IMP | KT-129,129A | 16 | 25.00 | 510 |

| | | | | | | | |
|-----|--------------|----|-----|-------------|------------|-------|-----|
| 134 | 12.5/80-15.3 | TL | IMP | KT-129,129A | 14 | 29.00 | 410 |
| 135 | 12.5/80-15.3 | TL | IMP | KT-129,129A | 16 | 30.00 | 410 |
| 136 | 10.0/80-12 | TL | IMP | KT-129 | 8 | 14.00 | 725 |
| 137 | 7.00-12 | TL | IMP | KT-129 | 8 | 9.50 | 725 |
| 138 | 10.0/80-12 | TL | IMP | KT-129 | 10 | 14.50 | 725 |
| 139 | 13.0/65-18 | TL | IMP | KT-129 | 14 | 27.50 | 375 |
| 140 | 13.0/65-18 | TL | IMP | KT-129 | 16 | 30.00 | 375 |
| 141 | 10.5/65-16 | TL | IMP | KT-129 | 12 | 16.00 | 625 |
| 142 | 10.5/65-16 | TL | IMP | KT-129 | 14 | 17.00 | 625 |
| New | 380/55-17 | TL | IMP | KT-129+ | 12,14,16PR | | |
| New | 480/45-17 | TL | IMP | KT-129+ | 12,14,16PR | | |
| New | 500/50-17 | TL | IMP | KT-129+ | 12,14,16PR | | |

FORK LIFT

| | | | | | | | |
|-----|----------|----|-----------|--------|----|-------|------|
| 143 | 5.00-8 | TT | FORK LIFT | KT-190 | 8 | 7.50 | 2100 |
| 144 | 5.00-8 | TT | FORK LIFT | KT-190 | 10 | 7.50 | 2100 |
| 145 | 6.00-9 | TT | FORK LIFT | KT-190 | 10 | 10.00 | 1200 |
| 146 | 6.00-9 | TT | FORK LIFT | KT-190 | 12 | 10.00 | 1200 |
| 147 | 6.50-10 | TT | FORK LIFT | KT-190 | 10 | 12.00 | 1000 |
| 148 | 6.50-10 | TT | FORK LIFT | KT-190 | 12 | 12.00 | 1000 |
| 149 | 7.00-12 | TT | FORK LIFT | KT-190 | 12 | 17.00 | 725 |
| 150 | 7.00-12 | TT | FORK LIFT | KT-190 | 14 | 17.00 | 725 |
| 151 | 8.15-15 | TT | FORK LIFT | KT-190 | 12 | 23.00 | 550 |
| 152 | 8.15-15 | TT | FORK LIFT | KT-190 | 14 | 23.00 | 550 |
| 153 | 3.00-15 | TT | FORK LIFT | KT-190 | 18 | 45.00 | 500 |
| 154 | 3.00-15 | TT | FORK LIFT | KT-190 | 20 | 47.00 | 500 |
| 155 | 8.25-15 | TT | FORK LIFT | KT-190 | 12 | 30.00 | 300 |
| 156 | 8.25-15 | TT | FORK LIFT | KT-190 | 14 | 30.00 | 300 |
| 157 | 8.25-15 | TT | FORK LIFT | KT-190 | 16 | 30.00 | 300 |
| 158 | 12.00-20 | TT | FORK LIFT | KT-190 | 24 | 90.00 | 250 |
| 159 | 12.00-20 | TT | FORK LIFT | KT-190 | 28 | 92.00 | 250 |

AW IMPLEMENTS

| | | | | | | | |
|-----|-------------|-----|-----|--------|----|-------|-----|
| 160 | 400/60-15.5 | T/L | IMP | KT-201 | 12 | 34.00 | 550 |
| 161 | 400/60-15.5 | T/L | IMP | KT-201 | 14 | 35.00 | 550 |

E-3

| | | | | | | | |
|-----|----------|-------|-----|--------|----|--------|----|
| 162 | 16.00-25 | TT/TL | E-3 | KT-193 | 24 | 160.00 | 65 |
| 163 | 18.00-25 | TT/TL | E-3 | KT-193 | 28 | 280.00 | 55 |
| 164 | 18.00-25 | TL | E-3 | KT-193 | 40 | 290.00 | 55 |

IMPLEMENT (I-1)

| | | | | | | | |
|-----|----------|-----|--------|--------|----|-------|--|
| 165 | 9.5L-14 | TT | KT-186 | KT-186 | 8 | 12.00 | |
| 166 | 9.5L-14 | T/L | KT-186 | KT-186 | 8 | 12.50 | |
| 167 | 9.5L-15 | TT | KT-186 | KT-186 | 8 | 13.00 | |
| 168 | 9.5L-15 | T/L | KT-186 | KT-186 | 8 | 13.50 | |
| 169 | 11L-14 | TT | KT-186 | KT-186 | 8 | 15.00 | |
| 170 | 11L-14 | T/L | KT-186 | KT-186 | 8 | 15.50 | |
| 171 | 11L-14 | T/L | KT-186 | KT-186 | 12 | 16.00 | |
| 172 | 11L-15 | TT | KT-186 | KT-186 | 8 | 16.00 | |
| 173 | 11L-15 | T/L | KT-186 | KT-186 | 8 | 16.50 | |
| 174 | 11L-16 | TT | KT-186 | KT-186 | 10 | 18.00 | |
| 175 | 11L-16 | T/L | KT-186 | KT-186 | 10 | 18.50 | |
| 176 | 12.5L-15 | TT | KT-186 | KT-186 | 12 | 21.00 | |
| 177 | 12.5L-15 | T/L | KT-186 | KT-186 | 12 | 22.00 | |
| 178 | 12.5L-16 | TT | KT-186 | KT-186 | 10 | 26.00 | |

| | | | | | | | |
|---------------------------------------|----------|-----|----------|------------|----|-------|------|
| 179 | 12.5L-16 | T/L | KT-186 | KT-186 | 14 | 26.50 | |
| 180 | 6.70L-15 | TT | KT-186 | KT-186 | 8 | 9.00 | |
| 181 | 6.70L-15 | T/L | KT-186 | KT-186 | 8 | 9.50 | |
| 182 | 7.60L-15 | TT | KT-186 | KT-186 | 8 | 11.00 | |
| 183 | 7.60L-15 | T/L | KT-186 | KT-186 | 8 | 11.50 | |
| High Speed IMPLEMENT (I-1) | | | | | | | |
| 184 | 9.5L-14 | TT | KT-186 | KT-186 | 8 | 13.00 | |
| 185 | 9.5L-14 | T/L | KT-186 | KT-186 | 8 | 13.50 | |
| 186 | 9.5L-15 | TT | KT-186 | KT-186 | 8 | 14.00 | |
| 187 | 9.5L-15 | T/L | KT-186 | KT-186 | 8 | 14.50 | |
| 188 | 11L-14 | TT | KT-186 | KT-186 | 8 | 15.50 | |
| 189 | 11L-14 | T/L | KT-186 | KT-186 | 8 | 16.00 | |
| 190 | 11L-14 | T/L | KT-186 | KT-186 | 12 | 16.50 | |
| 191 | 11L-15 | TT | KT-186 | KT-186 | 8 | 17.00 | |
| 192 | 11L-15 | T/L | KT-186 | KT-186 | 8 | 17.50 | |
| 193 | 11L-16 | TT | KT-186 | KT-186 | 10 | 19.00 | |
| 194 | 11L-16 | T/L | KT-186 | KT-186 | 10 | 19.50 | |
| 195 | 12.5L-15 | TT | KT-186 | KT-186 | 12 | 21.50 | |
| 196 | 12.5L-15 | T/L | KT-186 | KT-186 | 12 | 23.00 | |
| 197 | 12.5L-16 | TT | KT-186 | KT-186 | 10 | 26.50 | |
| 198 | 12.5L-16 | T/L | KT-186 | KT-186 | 14 | 27.50 | |
| 199 | 6.70L-15 | TT | KT-186 | KT-186 | 8 | 10.00 | |
| 200 | 6.70L-15 | T/L | KT-186 | KT-186 | 8 | 10.50 | |
| 201 | 7.60L-15 | TT | KT-186 | KT-186 | 8 | 11.50 | |
| 202 | 7.60L-15 | T/L | KT-186 | KT-186 | 8 | 12.50 | |
| TWO/THREE WHEELER/WHEEL BARROW | | | | | | | |
| 203 | 350-10 | TT | RIB | KT-111,112 | 4 | 2.50 | 7000 |
| 204 | 400-8 | TT | RIB | KT-113,114 | 6 | 3.50 | 5000 |
| 205 | 400-8 | TT | LUG | KT-115,116 | 8 | 3.60 | 5000 |
| 206 | 450-10 | TT | LUG | KT-115 | 8 | 5.50 | 4000 |
| PASSANGER CAR | | | | | | | |
| 207 | 450-12 | TT | RIB | KT-101 | 8 | 5.50 | 2400 |
| 208 | 500-12 | TT | SEMI LUG | KT-102 | 6 | 6.50 | 2400 |
| 209 | 500-12 | TT | SEMI LUG | KT-102 | 8 | 7.00 | 2400 |
| 210 | 560-13 | TT | RIB | KT-104 | 6 | 6.50 | 2300 |
| 211 | 565-12 | TT | RIB | KT-105 | 8 | 5.50 | 2400 |
| 212 | 600-16 | TT | M&S | KT-108 | 10 | 10.50 | 1250 |
| 213 | 600-16 | TT | RIB | KT-106,107 | 10 | 13.00 | 1250 |
| L.C.V | | | | | | | |
| 214 | 650-14 | TT | RIB | KT-109 | 8 | 14.00 | 1250 |
| 215 | F78-15 | TT | RIB | KT-110 | 8 | 13.00 | 900 |
| 216 | F78-15 | TT | RIB | KT-110 | 10 | 13.50 | 900 |
| 217 | 700-15 | TT | RIB | KT-117 | 10 | 18.00 | 950 |
| 218 | 700-15 | TT | RIB | KT-117 | 12 | 18.50 | 950 |
| 219 | 700-16 | TT | RIB | KT-118 | 10 | 18.00 | 900 |
| 220 | 700-16 | TT | RIB | KT-118 | 12 | 19.00 | 900 |
| 221 | 700-16 | TT | RIB | KT-118 | 14 | 19.00 | 900 |
| 222 | 750-16 | TT | RIB | KT-120 | 14 | 22.50 | 750 |
| 223 | 750-16 | TT | RIB | KT-120 | 16 | 23.00 | 750 |
| 224 | 750-16 | TT | LUG | KT-123 | 14 | 25.00 | 750 |
| 225 | 750-16 | TT | LUG | KT-123 | 16 | 25.50 | 750 |
| 226 | 825-16 | TT | RIB | KT-120 | 14 | 23.50 | 590 |

| | | | | | | | |
|-----|--------|----|-----|--------|----|-------|-----|
| 227 | 825-16 | TT | RIB | KT-120 | 16 | 24.00 | 590 |
| 228 | 825-16 | TT | LUG | KT-121 | 14 | 26.00 | 550 |
| 229 | 825-16 | TT | LUG | KT-121 | 16 | 26.50 | 550 |
| 230 | 900-16 | TT | LUG | KT-122 | 12 | 31.00 | 400 |

TRUCK TYRES

| | | | | | | | |
|-----|----------|----|-----|--------|----|-------|-----|
| 231 | 9.00-20 | TT | RIB | KT-145 | 16 | 48.00 | 300 |
| 232 | 10.00-20 | TT | RIB | KT-145 | 16 | 51.00 | 250 |
| 233 | 10.00-20 | TT | LUG | KT-147 | 16 | 52.00 | 250 |

FLOATATION

| | | | | | | | |
|-----|-------------|-----|------------|---------|----|-------|-----|
| 234 | 550/45-22.5 | T/L | FLOATATION | KT-191 | 12 | 75.00 | 400 |
| 235 | 550/45-22.5 | T/L | FLOATATION | KT-191 | 16 | 77.00 | 400 |
| 236 | 560/60-22.5 | TL | FLOATATION | KT-191A | 14 | 85.00 | 120 |
| 237 | 560/60-22.5 | TL | FLOATATION | KT-191A | 16 | 86.00 | 120 |
| 238 | 400/60-22.5 | TL | FLOATATION | KT-191 | 16 | 51.50 | 180 |
| 239 | 500/50-22.5 | TL | FLOATATION | KT-191 | 16 | 56.00 | 140 |
| New | 600/50-22.5 | TL | FLOATATION | KT-191 | 16 | 87.50 | 125 |
| New | 600/50-22.5 | TL | FLOATATION | KT-191 | 18 | 89.00 | 125 |

L2/E3/L3

| | | | | | | | |
|-----|---------|-------|-------|--------|----|--------|-----|
| 242 | 15.5-25 | TT/TL | L2 | KT-192 | 12 | 71.00 | 110 |
| 243 | 15.5-25 | TT/TL | L2 | KT-192 | 14 | 72.00 | 110 |
| 244 | 15.5-25 | TT/TL | L2 | KT-192 | 16 | 73.00 | 110 |
| 245 | 17.5-25 | TT/TL | L2 | KT-192 | 12 | 90.00 | 92 |
| 246 | 17.5-25 | TT/TL | L2 | KT-192 | 14 | 92.00 | 92 |
| 247 | 17.5-25 | TT/TL | L2 | KT-192 | 16 | 95.00 | 92 |
| 248 | 17.5-25 | TT/TL | L2 | KT-192 | 18 | 96.00 | 92 |
| 249 | 20.5-25 | TT/TL | L2 | KT-192 | 16 | 150.00 | 65 |
| 250 | 20.5-25 | TT/TL | L2 | KT-192 | 18 | 153.00 | 65 |
| 251 | 20.5-25 | TT/TL | L2 | KT-192 | 24 | 155.00 | 65 |
| 252 | 23.5-25 | TT/TL | L2 | KT-192 | 16 | 230.00 | 48 |
| 253 | 23.5-25 | TT/TL | L2 | KT-192 | 18 | 232.00 | 48 |
| 254 | 23.5-25 | TT/TL | L2 | KT-192 | 24 | 235.00 | 48 |
| 255 | 20.5-25 | TT/TL | E3/L3 | KT-193 | 16 | 170.00 | 80 |
| 256 | 20.5-25 | TT/TL | E3/L3 | KT-193 | 18 | 173.00 | 80 |
| 257 | 20.5-25 | TT/TL | E3/L3 | KT-193 | 24 | 175.00 | 80 |
| 258 | 23.5-25 | TT/TL | E3/L3 | KT-193 | 16 | 235.00 | 72 |
| 259 | 23.5-25 | TT/TL | E3/L3 | KT-193 | 18 | 237.00 | 72 |
| 260 | 23.5-25 | TT/TL | E3/L3 | KT-193 | 24 | 240.00 | 72 |

MOTORCYCLE

| | | | | | | | |
|-----|-----------|----|----|--------|---|------|--|
| 261 | 2.75-18 | TT | MC | KT-205 | 4 | 3.00 | |
| 262 | 2.75-18 | TT | MC | KT-206 | 6 | 3.00 | |
| 263 | 3.00-18 | TT | MC | KT-206 | 6 | 4.10 | |
| 264 | 100/90-18 | TT | MC | KT-207 | 6 | 4.80 | |
| 265 | 100/90-17 | TT | MC | KT-207 | 6 | 4.60 | |
| 266 | 3.00-17 | TT | MC | KT-208 | 6 | 3.90 | |
| 267 | 2.75-17 | TT | MC | KT-209 | 6 | 2.90 | |

ATV

| | | | | | | | |
|-----|-------------|----|----|--------|---|-------|-----|
| 268 | 22X9.00-10 | TL | AT | KT-700 | 6 | 8.50 | 950 |
| 269 | 22X12.5-9 | TL | AT | KT-701 | 6 | 11.00 | 950 |
| 270 | 22X12.5-10 | TL | AT | KT-702 | 6 | 11.50 | 950 |
| 271 | 22X12.50-12 | TL | AT | KT-703 | 6 | 14.00 | 900 |

| | | | | | | | |
|-----|--------------|----|----|--------|---|-------|-----|
| 272 | 27X10.00-12 | TL | AT | KT-704 | 6 | 12.00 | 900 |
| 273 | 27X12.00-12 | TL | AT | KT-705 | 6 | 14.50 | 850 |
| 274 | 28X10.00-12 | TL | AT | KT-708 | 6 | 17.00 | 850 |
| 275 | 24X9.00-10 | TL | AT | KT-709 | 6 | 10.00 | 950 |
| 276 | 25.5X8.00-14 | TL | AT | KT-710 | 6 | 13.00 | 800 |

GOLFCART

| | | | | | | | |
|-----|----------|----|----|----------------|---|------|------|
| 277 | 11X7.1-5 | TL | GC | KT-303 | 4 | 2.10 | 1725 |
| 278 | 10X4.5-5 | TL | GC | KT-302 | 4 | 1.50 | 1725 |
| 279 | 18X8.5-8 | TL | GC | KT-301, KT-304 | 6 | 6.00 | 1725 |

| | | | |
|----|---------------------|----|----------|
| TT | Tube Type Tyre only | TL | Tubeless |
|----|---------------------|----|----------|